



ARGO-1200-SEN-LP

Argo 1200mm Weatherproof Emergency Batten, LP, Switchable Colour, Motion Sensor



PRODUCT INFORMATION

Part Number	ARGO-1200-SEN-LP
MIC	AUB02320480002
Description	LP Premium ARGO 1200mm LED Weatherproof Emergency Batten with Integral Battery, Microwave Sensor (Hi/Lo) and Switchable Colour Enabled with Clevertest Plus
Construction	Polycarbonate Base and Diffuser with Captive Stainless-Steel Clips (SS301)
Mounting	Surface mount
Dimensions L x W x H	1265mm x 121mm x 88mm
Weight	2.7 kg
Operating Mode	Sustained
Testing System	Clevertest Plus Enabled (Not activated by default)
Battery	Lithium Iron Phosphate, 3.2V 6400mAh
Charging Method	Intelligent current limited constant voltage
Diffuser	Polycarbonate
Driver / Ballast	LED Driver - 40w Stallion, MS-HL
Lamp(s)	Dual LED strip module, 3,000K warm white, 5,700K cool white, 50,000h life [L70/B50 Ta 40°C], Ra>80
Operating Voltage	240V AC; 50Hz
Power Factor	0.91 @ default
Supply Current	167mA +/-20mA
Total lumen output	4550lm (128lm/W @4000K, based on non-emergency), details see table Page 2
Power Consumption	see table Page 2
IP Rating	IP65
Operating Temperature	0°C to 40°C
Impact Rating	IK08
AS2293 Classification	C ₀ =D63 C ₉₀ =D40
Applicable Standards	AS/NZS3820, CISPR15, AS/NZS2293.3
Compliance Marking (RCM)	



ARGO-1200-SEN-LP

Argo 1200mm Weatherproof Emergency Batten, LP, Switchable Colour, Motion Sensor



REPLACEMENT PARTS

PART NUMBER	DESCRIPTION
1550230	Battery
AUM02370050001 CLIFE-PRO-CKIT-NP	Driver Pack
1330082	240V Driver
8002700	LED Strip
8002681 x2	240V Led Strip

Colour	Power Consumption				Total Lumen Output
	MAX Charge Lamp ON	Standby Lamp ON	Standby Lamp MIN (10%)	Standby Lamp OFF	
3000K	42 W	39 W	3 W	0.4 W	4212 lm
4000K	39 W	37 W	3 W	0.4 W	4550 lm
5700K	42 W	39 W	3 W	0.4 W	4296 lm

The product details described in this document are current as at the version date of the document. We reserve the right to change product design, specifications or materials (Specifications) as part of our continuous improvement program. Please confirm the applicable Specifications at the time of placing your order