



## ARGOCIRC-SEN-BLK

Argo Circular Emergency, Switchable Colour & Output,  
Motion Sensor, Black



PRODUCT INFORMATION	
Part Number	ARGOCIRC-SEN-BLK
MIC	UKC04620020001
Description	Argo Circular Emergency, Switchable Colour & Output, Motion Sensor, Black
Colour CCT	Switchable 3000K / 4000K (Default) / 5700K
Switchable output	High (Default) / Low
Material	Base & Diffuser: Polycarbonate
Mounting	Ceiling/Wall Surface Mount
Sensor Capability	N/A
Dimensions	Ø 330mm x 84mm
Weight	1.28kg
Operating Mode	N/A
Testing System	N/A
Battery	N/A
Charging Method	N/A
Driver	LED Driver - 26W Stallion, 28-56VDC, MS-HL2, 366mA
Lamp(s)	Dual LED panel, 3,000K warm white, 4,000K natural white, 5,700K cool white, Ra>80 L70/B50 Ta 25°C; LM80 Report >102k Hours, Projected >275k Hours L70/B50 Ta 40°C; LM80 Report >102k Hours, Projected >270k Hours L80/B20 Ta 40°C; LM80 Report >100k Hours, Projected >100k Hours L90/B10 Ta 40°C; LM80 Report >43k Hours, Projected >43k Hours
Operating Voltage	220-240V~ 50Hz
Total Lumen Output	1889 lm (117.3lm/W) @default (refer to next page for details)
Power Consumption	16.1W @default (refer to next page for details)
Supply Current	0.075+/-20mA
Inrush Current (Peak/Duration)	15.5A/73µs
Earth Leakage	N/A
IP Rating	IP65
IK Rating	IK08
LED MacAdam	5
Operating Temperature	0 °C to 40°C
AS2293 Classification	N/A
Applicable Standards	BS EN 60598-2-22, BS 5266
Compliance Marking	
Appliance Class	Class II double insulated



## ARGOCIRC-SEN-BLK

Argo Circular Emergency, Switchable Colour & Output,  
Motion Sensor, Black

### REPLACEMENT PARTS

PART NUMBER	DESCRIPTION
N/A	Battery
1330104	240V Driver
8051470	240V LED Panel
N/A	Emergency Driver
N/A	Sensor

Power Consumption & Lumen Output	Output (500mA)	
	Lamp On	Lumen Output
3000K	16.5W	1834 lm
4000K	16.1W	1889 lm
5700K	16.5W	1860 lm

Power Consumption & Lumen Output	Output (250mA)	
	Lamp On	Lumen Output
3000K	9.4W	1834 lm
4000K	9.2W	1889 lm
5700K	9.4W	1860 lm

The product details described in this document are current as at the version date of the document. We reserve the right to change product design, specifications or materials (Specifications) as part of our continuous improvement program. Please confirm the applicable Specifications at the time of placing your order