

RCM DECLARATION OF CONFORMITY

Document No: CLEV-RCM-LIFELIGHTPRO

Date: 30 September 2024 We: Clevertronics Pty Ltd

Clevertronics Pty Ltd Clevertronics Pty Ltd

1 Caribbean Drive Unit 22/761 Great South Road

Scoresby VIC 3179 Australia Penrose, Auckland 1061, New Zealand

T: +61 3 9559 2700 T: +64 800 548 448

E: Productenquiry@clevertronics.com.au E: Productenquiry@clevertronics.com.au

ABN: 64 136 264 349 NZBN: 9429042377382

declare that the CLIFE-PRO-HV and the following associated product codes

aLIFE-PRO-cc-dd-ee-ff-gg-hh aLIFEM-PRO-cc-bb-dd-ee-ff-gg-hh aLIFE-PRO-cc-dd-ee-ff-SQ-gg-hh

aLIFEM-PRO-cc-bb-dd-ee-ff-SQ-gg-hh

aLIFE-PRO-dd-ee-ff-SPOT-gg-hh aLIFEM-PRO-bb-dd-ee-ff-SPOT-gg-hh

aLIFE-PRO-RECSP-dd-ee-ff-gg-hh aLIFEM-PRO-RECSP-bb-dd-ee-ff-gg-hh

aLIFE-PRO-SM-cc-dd-ee-gg-hh aLIFEM-PRO-SM-cc-bb-dd-ee-gg-hh aLIFE-PRO-SM-WL-dd-ee-gg-hh

aLIFEM-PRO-SM-WL-bb-dd-ee-gg-hh

aLIFE-SM-cc-dd-NP3C-FP aLIFE-PRO-dd-XERO-KIT-gg aLIFEM-PRO-bb-dd-XERO-KIT-gg

Where,

a = LL10 Batterya = CLP Battery

aLIFE-PRO-SMS-dd-ee-ff-SPOT-gg-hh aLIFEM-PRO-SMS-bb-dd-ee-ff-SPOT-gg-hh

aLIFE-PRO-dd-SPOT-REM-RS-gg aLIFEM-PRO-dd-SPOT-REM-RS-gg aLIFE-PRO-SMS-dd-ee-ff-gg-hh aLIFEM-PRO-SMS-bb-dd-ee-ff-gg-hh

aLIFE-2PRO-SMS-dd-ii-gg aLIFEM-2PRO-SMS-bb-dd-ii-gg aLIFE-PRO-SMC-dd-ee-gg-hh aLIFEM-PRO-SMC-bb-dd-ee-gg-hh

aLIFE-PRO-SMC-185H-dd-REM-4HR-gg-hh

aBS2N-dd aBS4N-dd

Wildcard	Description	Wildcards	Description
bb = Blank	Non-Switched Active	ff = Blank	Standard Lifelight Pro Head
bb = SA	Switched Active	ff = IPREM	Gear in a Remote WP Enclosure
cc = Blank	Non-weatherproof	ff = IPREMTBCG	IPREM version with Test Button and Status
			Indicator on WP Enclosure
cc = WP	Weatherproof Version	ff = NCIL	No charge indicator LED
cc = WP-WL	W/Proof with Warehouse Lens	ff = RECWP	Lamp head in a recessed WP enclosure
dd = Blank	Manual Test/Clevertest Plus(CTP)	ff = REM	IP20 gear installed remote from lamp
dd = ZW	Zoneworks XT	ff = WPPOD-KIT	Weatherproof POD version
dd = HV	Zoneworks XT HIVE (915MHz)	ff = TP	Lamp head with tamperproof Screws
dd = HVG	Zoneworks XT HIVE (2.4GHz)	ff = TP-D	Lamp head with tamperproof Screws and
			Dome
dd = HVEXTA	Zoneworks XT HIVE c/w Ext Antenna	gg = Blank	Normal White colour version
dd = HVGEXTA	Zoneworks XT HIVE c/w Ext Antenna	gg = BLK	Custom Black colour version
dd = DATA	Zoneworks DATA	gg = WHT	Custom White colour version
dd = DALI	DALI	gg = "Custom	Custom defined colour code
		colour code"	
dd = D2	DALI-2	hh = Blank	Standard fitting
ee = Blank	Standard fitting	hh = UPS	Changeover Central Supplied from a UPS
			(240V AC)
ee = 4HR	4-hour runtime fitting	ii = 600	600mm batten version
		ii = 1200	1200mm batten version

are in conformity with the requirements of the:

- AS/NZS 4417.1:2012 & AS/NZS 4417.2:2018 in-scope electrical equipment and AS/NZS 3820:2009 (Essential safety requirements for electrical equipment)
- Radiocommunications Labelling (Electromagnetic Compatibility) Notice 2017 made under section 182 of the Radiocommunications Act 1992
- > Australian Communications and Media Authority (ACMA) for Electromagnetic Compatibility (EMC).



RCM DECLARATION OF CONFORMITY

The above products meet requirements of the following standards:

AS/NZS 2293.3:2018 Emergency lighting and exit signs for buildings - Emergency luminaires and exit signs

AS 60598.2.22:2019 Luminaires – Part 2.22: Particular requirements – Luminaires for emergency lighting (IEC

60598-2-22:2017 (ED.4.1) MOD)

AS CISPR 15:2017 Limits and methods of measurement of radio disturbance characteristics of electrical lighting

and similar equipment (CISPR 15:2013+AMD1:2015 (ED.8.1) MOD)

Mićňael Duce

General Manager - Product and Technical

Services

