




DYGL-UP-CM-DS-RAOW-HVG

CleverEVAC Dynamic Green Blade Exit, Ceiling Mount, L10 Nanophosphate, Zoneworks HIVE, Running Man Arrow One Way, Double Sided



PRODUCT INFORMATION	
Part Number	DYGL-UP-CM-DS-RAOW-HVG
MIC	AUA00000035901
Description	CleverEVAC Dynamic Green Blade Exit, Ceiling Mount, L10 Nanophosphate, Zoneworks HIVE, Running Man Arrow One Way, Double Sided
Construction	PC/ABS Body with PC Diffuser and Metal Enclosure
Mounting	Ceiling Mount, Double-sided
Dimensions L x W x H	391mm x 90mm x 257mm
Weight	5.9 kg
Operating Mode	Maintained – sequencing inward green LEDs activated on VF/24V input trigger and capable of being activated in power-on and battery-backed mode, with the added functionality of Dynamic Green activation over the HIVE network. Dynamic Green default set to activate upon mains power fail.
Testing System	Zoneworks HIVE (RF) 2.4GHz
Battery	Lithium Nanophosphate, 3.3V 2500mAh
Charging Method	Intelligent Current Limited Constant Voltage
Diffuser	Double-sided Pictograph, Two Elements (Running Man with Arrow)
Lamp(s)	LED Panel, 100,000 hours
Operating Voltage	220-240V AC; 50Hz
Supply Current	TBC
Power Factor	TBC
Power Consumption	3.1W (Standby), 7.5W (Max)
Inrush Current (Peak/Duration)	TBC
Earth Leakage	TBC
IP Rating	IP20
Operating Temperature	1°C to 40°C
AS2293 Classification	C0=E5, C90=C32
Viewing Distance	24m
Applicable Standards	AS/NZS3820, CISPR15, AS/NZS2293.3, Codemark CM20237 (AUS), CM20236 (NZ)
Compliance Marking (RCM)	

REPLACEMENT PARTS	
PART NUMBER	DESCRIPTION
1530050	Battery
AUM01870340001	Emergency Driver
8003191	Node

Disclaimer: Clevertronics Pty Ltd is a vendor of CleverEVAC products. It is not a fire engineer or designer. It does not purport to recommend its products for use in any particular application or to achieve any particular outcome. Purchasers and users of its products must take their own steps to ensure compliance with statutory requirements, safe practice and suitable application of the products. The product details described in this document are current as at the version date of the document. We reserve the right to change product design, specifications or materials (Specifications) as part of our continuous improvement program. Please confirm the applicable Specifications at the time of placing your order.