



RCM DECLARATION OF CONFORMITY

Document No: CLEV-RCM-LIFELIGHTPRO

Date: 28 October 2022

We: Clevertronics Pty Ltd
1 Caribbean Drive
Scoresby VIC 3179 Australia
T: +61 3 9559 2700
E: Productenquiry@clevertronics.com.au
ABN: 64 136 264 349

Clevertronics Pty Ltd
Unit 22/761 Great South Road
Penrose, Auckland 1061, New Zealand
T: +64 800 548 448
E: Productenquiry@clevertronics.com.au
NZBN: 9429042377382

declare that the **CLIFE-PRO-HV** and the following associated product codes

- aLIFE-PRO-cc-dd-ee-ff-gg-hh
- aLIFEM-PRO-cc-bb-dd-ee-ff-gg-hh
- aLIFE-PRO-cc-dd-ee-ff-SQ-gg-hh
- aLIFEM-PRO-cc-bb-dd-ee-ff-SQ-gg-hh
- aLIFE-PRO-dd-ee-ff-SPOT-gg-hh
- aLIFEM-PRO-bb-dd-ee-ff-SPOT-gg-hh
- aLIFE-PRO-RECS-pp-dd-ee-ff-gg-hh
- aLIFEM-PRO-RECS-pp-bb-dd-ee-ff-gg-hh
- aLIFE-PRO-SM-cc-dd-ee-gg-hh
- aLIFEM-PRO-SM-cc-bb-dd-ee-gg-hh
- aLIFE-SM-cc-dd-NP3C-FP
- aLIFE-PRO-dd-XERO-KIT-gg
- aLIFEM-PRO-bb-dd-XERO-KIT-gg
- aLIFE-PRO-SMS-dd-ee-ff-SPOT-gg-hh
- aLIFEM-PRO-SMS-bb-dd-ee-ff-SPOT-gg-hh
- aLIFE-PRO-SMS-dd-ee-ff-gg-hh
- aLIFEM-PRO-SMS-bb-dd-ee-ff-gg-hh
- aLIFE-2PRO-SMS-dd-ii-gg
- aLIFEM-2PRO-SMS-bb-dd-ii-gg
- aLIFE-PRO-SMC-dd-ee-gg-hh
- aLIFEM-PRO-SMC-bb-dd-ee-gg-hh
- aLIFE-PRO-SMC-185H-dd-REM-4HR-gg-hh
- aBS2N-dd
- aBS4N-dd

Where,

- a = L L10 Battery
- a = C LP Battery

bb = Blank	Non-Switched Active	ff = Blank	Standard Lifelight Pro Head
bb = SA	Switched Active	ff = IPREM	Gear in a Remote WP Enclosure
cc = Blank	Non-weatherproof	ff = IPREMTBCG	IPREM version with Test Button and Status Indicator on WP Enclosure
cc = WP	Weatherproof Version	ff = NCIL	No charge indicator LED
cc = WP-WL	W/Proof with Warehouse Lens	ff = RECWP	Lamp head in a recessed WP enclosure
dd = Blank	Manual Test/Clevertest Plus(CTP)	ff = REM	IP20 gear installed remote from lamp
dd = ZW	Zoneworks XT	ff = WPPD-KIT	Weatherproof POD version
dd = HV	Zoneworks XT HIVE	ff = TP	Lamp head with tamperproof Screws
dd = HVG	Zoneworks XT HIVE	ff = TP-D	Lamp head with tamperproof Screws and Dome
dd = HVEXTA	Zoneworks XT HIVE c/w Ext Antenna	gg = Blank	Normal White colour version
dd = HVGEXTA	Zoneworks XT HIVE c/w Ext Antenna	gg = BLK	Custom Black colour version
dd = DATA	Zoneworks DATA	gg = WHT	Custom White colour version
dd = DALI	DALI Registered	gg = "Custom colour code"	Custom defined colour code
ee = Blank	Standard fitting	hh = Blank	Standard fitting
ee = 4HR	4-hour runtime fitting	hh = UPS	Changeover Central Supplied from a UPS (240V AC)
		ii = 600	600mm batten version
		ii = 1200	1200mm batten version

are in conformity with the requirements of the:

- > AS/NZS 4417.1:2012 & AS/NZS 4417.2:2018 in-scope electrical equipment and AS/NZS 3820:2009 (Essential safety requirements for electrical equipment)
- > Radiocommunications Labelling (Electromagnetic Compatibility) Notice 2017 made under section 182 of the Radiocommunications Act 1992
- > Australian Communications and Media Authority (ACMA) for Electromagnetic Compatibility (EMC).

The above products meet requirements of the following standards:

- AS/NZS 2293.3:2018 Emergency lighting and exit signs for buildings - Emergency luminaires and exit signs
- AS 60598.2.22:2019 Luminaires - Part 2.22: Particular requirements - Luminaires for emergency lighting (IEC 60598-2-22:2017 (ED.4.1) MOD)
- AS CISPR 15:2017 Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment (CISPR 15:2013+AMD1:2015 (ED.8.1) MOD)

Michael Duce
National Systems and Engineering Manager

